

Doç.Dr. BERKAY EKİCİ

Kişisel Bilgiler

E-posta: berkay.ekici@lokmanhekim.edu.tr

Web: <https://avesis.lokmanhekim.edu.tr/berkay.ekici>

Uluslararası Araştırmacı ID'leri

ScholarID: v3e_pbQAAAJ

ScopusID: 53463396700

Yoksis Araştırmacı ID: 184315

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. Therapeutic effects of line dancing in people with multiple sclerosis: an evaluator-blinded, randomized controlled study
Baştürk S., Ekici G., Kirteke F., Durak Ö. F., EKİCİ B.
Arts and Health, 2024 (SSCI)
- II. Examining the effects of the CLU and APOE polymorphisms' combination on coronary artery disease complexed with type 2 diabetes mellitus
Ozuyuk A. S., Erkan A. F., Dogan N., Ekici B., ÜNALTUNA N., Kurmus O., ÇOBAN N.
Journal of Diabetes and its Complications, cilt.36, sa.1, 2022 (SCI-Expanded)
- III. Levels of miR-130b-5p in peripheral blood are associated with severity of coronary artery disease
ÇOBAN N., Ozuyuk A. S., Erkan A. F., Guclu-Geyik F., Ekici B.
Molecular Biology Reports, cilt.48, sa.12, ss.7719-7732, 2021 (SCI-Expanded)
- IV. Nutritional status and severity of coronary artery disease
Kurmus O., Aslan T., Eren M., Akbuga K., Erkan A. F., Ekici B., Akgul Ercan E., Kervancioglu C.
Coronary artery disease, cilt.32, sa.7, ss.644-649, 2021 (SCI-Expanded)
- V. Cholesterol-related gene variants are associated with diabetes in coronary artery disease patients
Ozuyuk A. S., Erkan A. F., Ekici B., Erginel-Unaltuna N., ÇOBAN N.
Molecular Biology Reports, cilt.48, sa.5, ss.3945-3954, 2021 (SCI-Expanded)
- VI. Can a patient with pulmonary hypertension travel safely by plane
Ekici B.
Anatolian Journal of Cardiology, cilt.25, 2021 (SCI-Expanded)
- VII. Morphological overview of cardiovascular comorbidities in chronic obstructive pulmonary disease: Frank's sign
Ogan N., Gunay E., Ekici B., Baha A., Gulenoy E. S., Akpinar E. E., Yuksel A.
Heart and Lung, cilt.49, sa.3, ss.331-335, 2020 (SCI-Expanded)
- VIII. Discordance of low-density lipoprotein cholesterol and non-high-density lipoprotein cholesterol and coronary artery disease severity Discordança entre colesterol ldl e não-hdl e gravidade da doença arterial coronária
Kurmus O., Erkan A. F., Ekici B., Aslan T., Eren M.
Arquivos Brasileiros de Cardiologia, cilt.114, sa.3, ss.469-475, 2020 (SCI-Expanded)
- IX. Hsa-miR-584-5p as a novel candidate biomarker in Turkish men with severe coronary artery disease
ÇOBAN N., PİRİM D., Erkan A. F., DOĞAN B., Ekici B.
Molecular Biology Reports, cilt.47, sa.2, ss.1361-1369, 2020 (SCI-Expanded)
- X. Impact of Admission Blood Glucose on Coronary Collateral Flow in Patients with ST-Elevation Myocardial Infarction

- Kurmus O., Aslan T., Ekici B., Baglan Uzunget S., Karaarslan S., Tanindi A., Erkan A. F., Akgul Ercan E., Kervancioglu C. Cardiology Research and Practice, cilt.2018, 2018 (SCI-Expanded)
- XI. **Assessing the classification performance of the mean platelet volume (MPV) in a cardiovascular risk prediction model**
Güllü Ö., Tekindal M. A., Ateş C., Ekici B., YAVUZ Y.
Biomedical Research (India), cilt.28, sa.2, ss.705-710, 2017 (SCI-Expanded)
- XII. **Thickening of the epicardial adipose tissue can be alleviated by thyroid hormone replacement therapy in patients with subclinical hypothyroidism**
Sayin I., Erkan A. F., Ekici B., Kutuk U., Corakci A., Tore H. F.
Kardiologia Polska, cilt.74, sa.12, ss.1492-1498, 2016 (SCI-Expanded)
- XIII. **The effects of the duration of mobile phone use on heart rate variability parameters in healthy subjects**
Ekici B., Tanindi A., Ekici G., Diker E.
Anatolian Journal of Cardiology, cilt.16, sa.11, ss.833-838, 2016 (SCI-Expanded)
- XIV. **Epicardial adipose tissue thickness can be used to predict major adverse cardiac events**
Tanindi A., Erkan A. F., Ekici B.
Coronary Artery Disease, cilt.26, sa.8, ss.686-691, 2015 (SCI-Expanded)
- XV. **The relationship between serum uric acid levels and angiographic severity of coronary heart disease**
Ekici B., Kütük U., Alhan A., Töre H. F.
Kardiologia Polska, cilt.73, sa.7, ss.533-538, 2015 (SCI-Expanded)
- XVI. **Link between angiographic extent and severity of coronary artery disease and degree of sensorineural hearing loss Beziehung zwischen Ausmaß und Schweregrad der koronaren Herzkrankheit in der Angiographie und Grad der sensorineuralen Schwerhörig**
Erkan A., Beriat G., Ekici B., Doğan C., Kocaturk S., Töre H.
Herz, cilt.40, sa.3, ss.481-486, 2015 (SCI-Expanded)
- XVII. **Authors reply**
Erkan A., Ekici B., Demir G., Töre H.
Journal of Postgraduate Medicine, cilt.60, sa.4, ss.418-419, 2014 (SCI-Expanded)
- XVIII. **Authors reply**
Erkan A., Ekici B., Demir G., Töre H.
Journal of Postgraduate Medicine, cilt.60, sa.4, ss.415, 2014 (SCI-Expanded)
- XIX. **The role of bilirubin and its protective function against coronary heart disease Rolle des Bilirubins und seiner Schutzfunktion vor koronarer Herzkrankheit**
Erkan A., Ekici B., Uğurlu M., İş G., Şeker R., Demirtaş S., Korkmaz Ş.
Herz, cilt.39, sa.6, ss.711-715, 2014 (SCI-Expanded)
- XX. **The effect of emotional status and health-related quality of life on the severity of coronary artery disease**
Ekici B., Ercan E. A., Cehreli S., Töre H. F.
Kardiologia Polska, cilt.72, sa.7, ss.617-623, 2014 (SCI-Expanded)
- XXI. **Lower levels of serum high-density lipoprotein cholesterol are associated with a worse Duke treadmill score in men but not in women**
Erkan A., Ekici B., Demir G., Töre H.
Journal of Postgraduate Medicine, cilt.60, sa.3, ss.260-264, 2014 (SCI-Expanded)

Düger Dergilerde Yayınlanan Makaleler

- I. **Prevalence of Fabry Disease in patients with left ventricular hypertrophy in Turkey: Multicenter study (LVH-TR subgroup analysis)**
Güzel T., Çağlar F. N. T., EKİCİ B., KIŞ M., Öztaş S., Öz A., GÖK G., Kolak Z., AKŞIT E., Sarıca S. A., et al.
International Journal of Cardiovascular Imaging, cilt.39, sa.6, ss.1143-1155, 2023 (Scopus)

- II. Association of polymorphisms in the sex hormone genes with the presence and severity of coronary artery disease**
 ÇOBAN N., Özynuk A. S., Erkan A. F., KAYA A., Ekici B., Güçlü-Geyik F., Ademoğlu E., Can G., ÜNALTUNA N.
 Turk Kardiyoloji Derneği arsivi : Turk Kardiyoloji Derneginin yayın organıdır, cilt.50, sa.1, ss.22-33, 2022 (Hakemli Dergi)
- III. Val109Asp polymorphism in Intelectin 1 gene is associated with coronary artery disease severity in women**
 Güçlü-Geyik F., Erkan A. F., Özynuk A. S., Ekici B., ÇOBAN N.
 Turk Kardiyoloji Derneği arsivi : Turk Kardiyoloji Derneginin yayın organıdır, cilt.50, sa.1, ss.34-45, 2022 (Hakemli Dergi)
- IV. Effects of deep friction massage and dry needling therapy on night pain and shoulder internal rotation in subacromial pain syndrome: 1-year follow up of a randomised controlled trial**
 Ekici G., Özcan S., Öztürk B. Y., Öztürk B., Ekici B.
 International Journal of Therapy and Rehabilitation, cilt.28, sa.2, 2021 (ESCI)
- V. Angiotensin receptor neprilysin inhibitor for patients with heart failure and reduced ejection fraction: Real-world experience from Turkey (ARNi-TR)**
 Ekici B., Yaman M., KÜÇÜK M., Dereli S., Yenerçağ M., YİĞİT Z., Memduh Baş M., Karavelioğlu Y., Çakmak H. A., Kivrak T., et al.
 Turk Kardiyoloji Derneği Arsivi, cilt.49, sa.5, ss.357-367, 2021 (ESCI)
- VI. Association of APOA5-1131T>C polymorphism with obesity in coronary artery disease APOA5-1131T>C polimorfizminin koroner arter hastalarında obezite ile ilişkisi**
 ÇOBAN N., Özynuk A. S., Erkan A. F., Ekici B., Kaşit M., Ünaltna N. E.
 Turk Kardiyoloji Derneği Arsivi, cilt.48, sa.5, ss.461-471, 2020 (ESCI)
- VII. Predictive value of urinary neutrophil gelatinaseassociated lipocalin and serum ischemia-modified albumin for early diagnosis in patients with contrastinduced acute kidney injury İdrar nötrofil jelatinaz ilişkili lipokalın ve serum iskemi modifiye albümün düzeylerinin kontrastla ilişkili böbrek hasarının erken tanısında öngördürücü değeri**
 Apaydin Z., Kılıç A., Ekici B., Erkan A. F., Özdemir S., Oğuz A. K.
 Haseki Tip Bulteni, cilt.58, sa.3, ss.234-239, 2020 (ESCI)
- VIII. Macrophage migration inhibitory factor (MIF) gene -173 G>C polymorphism and its relationship to coronary artery disease and type 2 diabetes Makrofaj migrasyon inhibitör faktör (MIF) geni -173 G>C polimorfizminin koroner arter hastalığı ve tip 2 diyabet ile ilişkisi**
 ÇOBAN N., Erkan A. F., Ekici B., Kaşit M., Ünaltna N. E., Vurgun E.
 Turk Kardiyoloji Derneği Arsivi, cilt.47, sa.1, ss.29-37, 2019 (ESCI)
- IX. Effects of glomerular filtration rate on the severity of coronary heart disease**
 Ekici B., Tanindi A., Sayin I.
 Turk Kardiyoloji Derneği Arsivi, cilt.44, sa.2, ss.123-129, 2016 (ESCI)
- X. Do pre-procedural laboratory parameters predict drug-eluting stent restenosis?**
 Tanindi A., Ekici B., Töre H. F.
 Turk Kardiyoloji Derneği Arsivi, cilt.43, sa.5, ss.457-464, 2015 (ESCI)
- XI. Authors' reply Yazarm yanımı**
 Tanindi A., Hrkan A. F., Ekici B., Alhan A., Töre H. F.
 Turk Kardiyoloji Derneği Arsivi, cilt.42, sa.4, ss.416, 2014 (ESCI)

Metrikler

Yayın: 32

Atıf (WoS): 109

Atıf (Scopus): 106

H-İndeks (WoS): 6

H-İndeks (Scopus): 7