

Prof. Dr. ÖZGÜR UĞURLU

Kişisel Bilgiler

E-posta: ozgur.ugurlu@lokmanhekim.edu.tr

Web: <https://avesis.lokmanhekim.edu.tr/ozgur.ugurlu>

Uluslararası Araştırmacı ID'leri

ScholarID: flulMQcAAAAJ

ScopusID: 55976453000

Yoksis Araştırmacı ID: 301646

Eğitim Bilgileri

Tıpta Uzmanlık, Sağlık Bilimleri Üniversitesi, Ankara Numune Sağlık Uygulama Ve Araştırma Merkezi, Türkiye 1998 - 2002

Lisans, Gazi Üniversitesi, Tıp Fakültesi, Türkiye 1989 - 1996

Akademik Unvanlar / Görevler

Prof. Dr., Lokman Hekim Üniversitesi, Tıp Fakültesi, Cerrahi Tıp Bilimleri Bölümü, 2019 - Devam Ediyor

Yönetilen Tezler

UĞURLU Ö., PSA'sı 4-10 ng/ml arasında olan hastalarda prostatik inflamasyon tespit ve tedavisinin PSA değişimine etkisi, Tıpta Uzmanlık, O.KAYGISIZ(Öğrenci), 2005

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. **Factors predicting the development of urethral stricture after bipolar transurethral resection of the prostate**
Afandiyev F., UĞURLU Ö.
REVISTA DA ASSOCIACAO MEDICA BRASILEIRA, cilt.68, sa.1, ss.50-55, 2022 (SCI-Expanded)
- II. **A prospective randomized multicenter study of Turkish Society of Urooncology comparing two different mechanical bowel preparation methods for radical cystectomy**
ASLAN G., BALTACI S., AKDOĞAN B., Kuyumcuoğlu U., Kaplan M., Cal C., Adsan O., Turkolmez K., UĞURLU Ö., Ekici S., et al.
Urologic Oncology: Seminars and Original Investigations, cilt.31, sa.5, ss.664-670, 2013 (SCI-Expanded)
- III. **The correlation among the percentage of positive biopsy cores from the dominant side of prostate, adverse pathology, and biochemical failure after radical prostatectomy**
Memis A., UĞURLU Ö., Ozden C., Oztekin C. V., Aktas B. K., Akdemir A. O.
Kaohsiung Journal of Medical Sciences, cilt.27, sa.8, ss.307-313, 2011 (SCI-Expanded)
- IV. **Reliability of frozen section examination of obturator lymph nodes and impact on lymph node dissection borders during radical cystectomy: Results of a prospective multicentre study by the Turkish Society of Urooncology**
BALTACI S., Adsan O., UĞURLU Ö., Aslan G., CAN Y. S. C., Gunaydin G., Buyukalpelli R., ELHAN A. H., Beduk Y.

BJU International, cilt.107, sa.4, ss.547-553, 2011 (SCI-Expanded)

- V. **Single-knot running suture anastomosis (one-knot pyeloplasty) for laparoscopic dismembered pyeloplasty: Training model on a porcine bladder and clinical results**
Teber D., Guven S., Yaycioglu O., UĞURLU Ö., Sanli O., Gozen A. S., Rassweiler J.
International Urology and Nephrology, cilt.42, sa.3, ss.609-614, 2010 (SCI-Expanded)
- VI. **Impacts of antibiotic and anti-inflammatory therapies on serum prostate-specific antigen levels in the presence of prostatic inflammation: A prospective randomized controlled trial**
UĞURLU Ö., Yaris M., Oztekin C. V., Kosan T. M., Adsan O., Cetinkaya M.
Urologia Internationalis, cilt.84, sa.2, ss.185-190, 2010 (SCI-Expanded)
- VII. **The relationship of the lymph node positivity to the durations between the initial and last TUR-T and radical cystectomy, and the number of TUR-T in invasive bladder tumors İnvazif mesane tümörlerinde ilk ve son TUR-T ile radikal sistektomi arasında geçen süreler ve TUR-T sayısının lenf nodu pozitifliği ile ilişkisi**
UĞURLU Ö., Adsan Ö., Doluoğlu Ö. G., Koşan T. M., Akdemir A. Ö., Çetinkaya M.
Turk Uroloji Dergisi, cilt.36, sa.1, ss.13-17, 2010 (SCI-Expanded)
- VIII. **An abnormal digital rectal examination is an independent predictor of high radical prostatectomy Gleason's score (≥ 7) in patients with clinically localized prostate cancer**
UĞURLU Ö., Çetinkaya M., Özden C., Öztekin Ç. V., Akdemir A. Ö., Memiş A., Yariş M.
Turkish Journal of Medical Sciences, cilt.39, sa.5, ss.755-760, 2009 (SCI-Expanded)
- IX. **Correlation between upgrading of prostate biopsy and biochemical failure and unfavorable pathology after radical prostatectomy**
Ozden C., Oztekin C. V., UĞURLU Ö., Gokkaya S., Yaris M., Memis A.
Urologia Internationalis, cilt.83, sa.2, ss.146-150, 2009 (SCI-Expanded)
- X. **Sixteen gauge needles improve specimen quality but not cancer detection rate in transrectal ultrasound-guided 10-core prostate biopsies**
Inal G., Öztekin V., UĞURLU Ö., Kosan M., Akdemir Ö., Çetinkaya M.
Prostate Cancer and Prostatic Diseases, cilt.11, sa.3, ss.270-273, 2008 (SCI-Expanded)
- XI. **Efficacy of carbohydrate antigens (CA19-9, CA125, CA15-3) for diagnosis and prognostic factors of bladder tumor Karbohidrat antijenlerinin (Ca19-9, Ca125, Ca15-3) mesane tumoru tanısı ve hastalık seyrini Belirlemedeki etkinliği**
Koşan M., Tül M., Gönülalan U., UĞURLU Ö., Inal G., Adsan Ö.
Turk Uroloji Dergisi, cilt.34, sa.2, ss.155-160, 2008 (SCI-Expanded)
- XII. **Comparison of four different anesthesia methods for relief of all pain during transrectal ultrasound-guided prostate biopsy**
Inal G., Adsan O., UĞURLU Ö., Kaygısız O., Kosan M., Cetinkaya M.
International Urology and Nephrology, cilt.40, sa.2, ss.335-339, 2008 (SCI-Expanded)
- XIII. **Embryonal paratesticular rhabdomyosarcoma: A case of young adult patient who has inguinal relapse**
Kosan M., Gonulalan U., UĞURLU Ö., Seckin S., Adsan O.
International Urology and Nephrology, cilt.39, sa.4, ss.1159-1161, 2007 (SCI-Expanded)
- XIV. **Testicular Microlithiasis in Patients with Scrotal Symptoms and Its Relationship to Testicular Tumors**
Kosan M., Gonulalan U., UĞURLU Ö., Oztekin V., Akdemir O., Adsan O.
Urology, cilt.70, sa.6, ss.1184-1186, 2007 (SCI-Expanded)
- XV. **Effects of Simultaneous Transurethral Resection of Prostate and Solitary Bladder Tumors Smaller Than 3 cm on Oncologic Results**
UĞURLU Ö., Gonulalan U., Adsan O., Kosan M., Oztekin V., Cetinkaya M.
Urology, cilt.70, sa.1, ss.55-59, 2007 (SCI-Expanded)
- XVI. **Can pain during digital rectal examination help us to decide the necessity and the method of anesthesia for transrectal ultrasound guided prostate needle biopsy?**
Kaygısız O., Inal G., Tas M., UĞURLU Ö., Ozturk B., Adsan O.
International Braz J Urol, cilt.33, sa.4, ss.470-476, 2007 (SCI-Expanded)

- XVII. **Reliability of Frozen Section Examination of External Iliac, Hypogastric, and Obturator Lymph Nodes During Radical Cystectomy: A Multicenter Study**
Adsan Ö., BALTACI S., Çal Ç., Büyükalpelli R., UĞURLU Ö., Bozlu M., Türkölmez K., Şahin H., ELHAN A. H.
Urology, cilt.69, sa.1, ss.83-86, 2007 (SCI-Expanded)
- XVIII. **The effectiveness of preoperative cystourethroscopy and computerized tomography to determine candidates for prostate sparing cystectomy Prostat koruyucu radikal sistektomiye aday hastaları belirlemede ameliyat öncesisistoskopive bilgisayarlı tomografinin etkinliđi**
Koşan M., Tül M., UĞURLU Ö., Gönülalan U., Inal G., Adsan Ö.
Turk Uroloji Dergisi, cilt.32, sa.4, ss.467-471, 2006 (SCI-Expanded)
- XIX. **A large seminal vesicle cyst with contralateral renal agenesis**
Kosan M., Tul M., Inal G., UĞURLU Ö., Adsan O.
International Urology and Nephrology, cilt.38, sa.3-4, ss.591-592, 2006 (SCI-Expanded)
- XX. **Effects of antibacterial therapy on PSA change in the presence and absence of prostatic inflammation in patients with PSA levels between 4 and 10ng/ml**
Kaygisiz O., UĞURLU Ö., Koşan M., Inal G., Öztürk B., Çetinkaya M.
Prostate Cancer and Prostatic Diseases, cilt.9, sa.3, ss.235-238, 2006 (SCI-Expanded)
- XXI. **How do patients with familial benign prostatic hyperplasia differ clinically from those with sporadic benign prostatic hyperplasia?**
Öztekin Ç. V., Öztürk B., Taş M., UĞURLU Ö., Çetinkaya M.
Urologia Internationalis, cilt.76, sa.4, ss.332-334, 2006 (SCI-Expanded)
- XXII. **Long-term follow-up results of our 10-year ileal loop series and comparison of ureteroileal anastomosis techniques (Bricker and Wallace) 10 Yıllık İleal Loop Serimizin Uzun Dönem Takip Sonuçları ve Üreteroileal Anastomoz Tekniklerinin (Bricker ve Wallace) Karşılaştırılması**
Adsan Ö., UĞURLU Ö., Tül M., Koşan M., Inal G., Çetinkaya M.
Turk Uroloji Dergisi, cilt.31, sa.3, ss.318-323, 2005 (SCI-Expanded)
- XXIII. **Assessment of serum CA 19-9 levels as a tumor marker in patients with bladder tumor Mesane Tümörlü Hastalarda Bir Tümör Belirleyici Olarak Serum CA 19-9 Düzeylerinin Analizi**
Koşan M., Tül M., UĞURLU Ö., Gönülalan U., Öztürk B., Adsan Ö.
Turk Uroloji Dergisi, cilt.31, sa.3, ss.342-348, 2005 (SCI-Expanded)
- XXIV. **Comparison of patient comfort and complications of transrectal ultrasonography guided prostate biopsies using 16 and 18 Gauge needles Transrektal ultrasonografi eşliğinde yapılan prostat biyopsisinde 16 ve 18 gauge iğne kullanımının hasta konforu ve istenmeyen yan etkiler açısından karşılaştırılması**
Taş M., Kaygisiz O., Inal G., UĞURLU Ö., Adsan Ö., Öztürk B.
Turk Uroloji Dergisi, cilt.31, sa.1, ss.119-122, 2005 (SCI-Expanded)
- XXV. **Comparison of 2 ml and 6 ml of periprostatic 1% lidocaine injections before transrectal ultrasound guided prostate biopsy Transrektal ultrasonograf i eşl iğ inde prostat b iyopsisi önceş i 2 ml ve 6 ml per iprostat ik %1 lidokain enjekş iyonunun karşı laştırılması**
Inal G., Yazici S., Koşan M., UĞURLU Ö., Taş M., Adsan Ö.
Turk Uroloji Dergisi, cilt.30, sa.2, ss.173-177, 2004 (SCI-Expanded)
- XXVI. **Unilateral pudendal nerve blockade for relief of all pain during transrectal ultrasound-guided biopsy of the prostate: A randomized, double-blind, placebo-controlled study**
Adsan Ö., Inal G., Özdoğan L., Kaygisiz O., UĞURLU Ö., Çetinkaya M.
Urology, cilt.64, sa.3, ss.528-531, 2004 (SCI-Expanded)
- XXVII. **Effects of forced diuresis achieved by oral hydration and oral diuretic administration on uroflowmetric parameters and clinical waiting time of patients with lower urinary tract symptoms**
Öztürk B., Çetinkaya M., Öztekin V., Inal G., Adsan Ö., UĞURLU Ö., Özden C.
Urologia Internationalis, cilt.71, sa.1, ss.22-25, 2003 (SCI-Expanded)
- XXVIII. **The early effects of partial outflow obstruction on contractile properties of diabetic and non-diabetic rat bladder**
Öztürk B., Çetinkaya M., GÜR S., UĞURLU Ö., Öztekin V., Tuncay Aki F.

Diğer Dergilerde Yayınlanan Makaleler

- I. **Does skip metastasis or other lymph node parameters have additional effects on survival of patients undergoing radical cystectomy for bladder cancer?**
UĞURLU Ö., BALTACI S., ASLAN G., CAN Y. S. C., Cal C., ELHAN A. H., Turkeri L., Mungan A.
Korean Journal of Urology, cilt.56, sa.5, ss.357-364, 2015 (ESCI)
- II. **Extended pelvic lymph node dissection: Before or after radical cystectomy? A multicenter study of the Turkish society of urooncology**
Ozen H., UĞURLU Ö., BALTACI S., Adsan O., ASLAN G., CAN Y. S. C., Gunaydin G., ELHAN A. H., Beduk Y.
Korean Journal of Urology, cilt.53, sa.7, ss.451-456, 2012 (ESCI)
- III. **The effects of transurethral resection of the prostate on morbidity and mortality in patients with nondialysis-requiring renal insufficiency**
Akdemir A. O., Oztekin C. V., Doluoglu O. G., Karabakan M., UĞURLU Ö., Cetinkaya M.
Therapeutic Advances in Urology, cilt.4, sa.2, ss.51-56, 2012 (ESCI)
- IV. **Impact of renal capsular infiltration on disease specific survival in patients with localized renal cell carcinoma ($\leq pT2$) Lokalize renal hücreli kanserlerde ($pT \leq 2$) renal kapsül infiltrasyonunun hastalık spesifik sağkalım üzerine etkisi**
Öztekin Ç. V., Akdemir A. Ö., Doluoglu Ö. G., UĞURLU Ö., Sungur M., Çetinkaya M.
Turk Uroloji Dergisi, cilt.36, sa.4, ss.328-332, 2010 (ESCI)
- V. **The impact of co-existing prostate adenocarcinoma with bladder carcinoma on disease specific survival of the patients in our radical cystoprostatectomy series Mesane tümörü ve prostat adenokarsinoma birlikteliğinin sağkalıma etkisi impact of coexisting bladder tumour and prostate adenocarcinoma on survival**
UĞURLU Ö., Öztekin V., Koşan M., Doluoglu Ö. G., Adsan Ö., Çetinkaya M.
Journal of Clinical and Analytical Medicine, cilt.1, sa.2, ss.1-4, 2010 (ESCI)

Metrikler

Yayın: 33

Atıf (WoS): 206

Atıf (Scopus): 236

H-İndeks (WoS): 10

H-İndeks (Scopus): 10